



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 6, 2026 – 09:44 PM UTC

PDB ID : 3GW5 / pdb_00003gw5
Title : Crystal structure of human renin complexed with a novel inhibitor
Authors : Wu, Z.; McKeever, B.M.
Deposited on : 2009-03-31
Resolution : 2.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	10052 (2.00-2.00)
Clashscore	190562	11152 (2.00-2.00)
Ramachandran outliers	187476	11031 (2.00-2.00)
Sidechain outliers	187428	11029 (2.00-2.00)
RSRZ outliers	180081	10067 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	337	<div style="display: flex; align-items: center;"> <div style="width: 2%; height: 10px; background-color: red; margin-right: 2px;"></div> <div style="width: 77%; height: 10px; background-color: green; margin-right: 2px;"></div> <div style="width: 21%; height: 10px; background-color: yellow; margin-right: 2px;"></div> <div style="width: 0%; height: 10px; background-color: grey; margin-right: 2px;"></div> </div> <p style="margin-left: 20px;">% 77% 21% •</p>
1	B	337	<div style="display: flex; align-items: center;"> <div style="width: 3%; height: 10px; background-color: red; margin-right: 2px;"></div> <div style="width: 75%; height: 10px; background-color: green; margin-right: 2px;"></div> <div style="width: 22%; height: 10px; background-color: yellow; margin-right: 2px;"></div> <div style="width: 0%; height: 10px; background-color: grey; margin-right: 2px;"></div> </div> <p style="margin-left: 20px;">3% 75% 22% ••</p>
2	C	2	<div style="display: flex; align-items: center;"> <div style="width: 50%; height: 10px; background-color: green; margin-right: 2px;"></div> <div style="width: 50%; height: 10px; background-color: yellow; margin-right: 2px;"></div> </div> <p style="margin-left: 20px;">50% 50%</p>

2 Entry composition [i](#)

There are 7 unique types of molecules in this entry. The entry contains 5648 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Renin.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	337	2595	1655	420	506	14	0	0	0
1	B	332	2554	1633	411	496	14	0	0	0

- Molecule 2 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
2	C	2	28	16	2	10	0	0	0

- Molecule 3 is (3R)-3-[(1S)-1-(3-chlorophenyl)-1-hydroxy-5-methoxypentyl]-N-[(1S)-2-cyclohexyl-1-[(methylamino)methyl]ethyl]piperidine-1-carboxamide (CCD ID: 72X) (formula: C₂₈H₄₆ClN₃O₃).


Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			6	3	3		
4	A	1	Total	C	O	0	0
			6	3	3		
4	B	1	Total	C	O	0	0
			6	3	3		

- Molecule 5 is CHLORIDE ION (CCD ID: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	1	Total	Cl	0	0
			1	1		

- Molecule 6 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: C₈H₁₅NO₆).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
6	B	1	Total	C	N	O	0	0
			14	8	1	5		

- Molecule 7 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	189	Total	O	0	0
			189	189		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	B	167	Total 167	O 167	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Renin



- Molecule 1: Renin



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	54.20Å 97.07Å 149.55Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	20.00 – 2.00 20.00 – 2.00	Depositor EDS
% Data completeness (in resolution range)	83.5 (20.00-2.00) 83.6 (20.00-2.00)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.07	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.74 (at 2.01Å)	Xtrriage
Refinement program	CNS, CNX	Depositor
R, R_{free}	0.210 , 0.256 0.222 , 0.224	Depositor DCC
R_{free} test set	2295 reflections (5.06%)	wwPDB-VP
Wilson B-factor (Å ²)	30.8	Xtrriage
Anisotropy	0.355	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 47.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	5648	wwPDB-VP
Average B, all atoms (Å ²)	35.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.72% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: CL, 72X, NAG, GOL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.36	0/2655	0.72	0/3600
1	B	0.35	0/2613	0.72	0/3543
All	All	0.35	0/5268	0.72	0/7143

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	0	1

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	B	171	SER	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2595	0	2525	59	0
1	B	2554	0	2487	52	0
2	C	28	0	25	0	0
3	A	35	0	46	2	0
3	B	35	0	46	0	0
4	A	24	0	32	0	0
4	B	6	0	8	0	0
5	A	1	0	0	0	0
6	B	14	0	13	0	0
7	A	189	0	0	4	0
7	B	167	0	0	2	0
All	All	5648	0	5182	110	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All (110) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:330:ARG:HH11	1:B:331:ASN:HD21	1.27	0.81
1:A:287:GLN:HG2	1:A:290:TYR:CE1	2.14	0.81
1:B:221:CYS:HB2	7:B:370:HOH:O	1.80	0.81
1:B:330:ARG:HH11	1:B:331:ASN:ND2	1.84	0.75
1:B:56:THR:O	1:B:59:VAL:HG22	1.89	0.73
1:B:48:SER:HB2	1:B:110:GLU:HB3	1.74	0.70
1:B:164:ARG:HG2	1:B:321:ARG:HD2	1.74	0.69
1:A:120:MET:HE3	1:B:120:MET:HE3	1.73	0.69
1:B:217:CYS:HG	1:B:221:CYS:HG	0.70	0.68
1:B:196:ILE:HD13	1:B:222:LEU:HD22	1.77	0.67
1:B:215:LEU:HG	1:B:216:LEU:HG	1.76	0.67
1:B:330:ARG:NH1	1:B:331:ASN:HD21	1.91	0.67
1:B:27:GLY:HA2	1:B:95:ASP:OD1	1.95	0.67
1:B:233:SER:OG	1:B:303:MET:HB3	1.93	0.67
1:A:206:LYS:N	1:A:206:LYS:HD2	2.11	0.66
1:A:10:VAL:HB	1:A:176:ILE:CG2	2.26	0.66
1:A:287:GLN:HG2	1:A:290:TYR:CZ	2.31	0.65
1:A:206:LYS:N	1:A:206:LYS:CD	2.61	0.64
1:B:285:VAL:HG22	1:B:298:LEU:CD2	2.28	0.63
1:B:82:ARG:HG2	1:B:87:THR:OG1	1.99	0.62
1:B:206:LYS:HB2	1:B:271:HIS:HD2	1.66	0.61
1:A:157:VAL:HG12	1:A:328:ASP:HA	1.82	0.60
1:B:258:LYS:HB2	1:B:261:GLU:HG3	1.85	0.59

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:15:TYR:HB3	1:B:19:GLN:HB2	1.84	0.58
1:B:96:ILE:HG23	1:B:103:THR:HG23	1.84	0.58
1:A:206:LYS:NZ	1:A:273:GLY:H	2.01	0.57
1:B:11:ILE:HD12	1:B:11:ILE:H	1.70	0.56
1:B:159:SER:HG	1:B:324:TYR:HE1	1.52	0.56
1:B:52:SER:OG	1:B:54:LEU:HB2	2.05	0.55
1:A:305:ILE:O	1:A:310:GLY:HA3	2.06	0.55
1:B:28:THR:O	1:B:69:SER:HA	2.07	0.55
1:B:98:THR:HG22	1:B:103:THR:OG1	2.06	0.55
1:A:303:MET:HE1	3:A:400:72X:H50A	1.89	0.55
1:A:24:ILE:HG22	1:A:99:VAL:HG22	1.89	0.54
1:A:45:TRP:NE1	1:A:127:VAL:HG13	2.23	0.54
1:A:48:SER:HB2	1:A:110:GLU:HB3	1.89	0.54
1:A:330:ARG:HH11	1:A:330:ARG:HG3	1.73	0.53
1:A:285:VAL:HG22	1:A:298:LEU:CD2	2.37	0.53
1:A:132:PHE:H	1:A:135:GLN:NE2	2.07	0.53
1:A:216:LEU:HD21	1:A:241:LYS:HB2	1.90	0.53
1:B:106:GLN:OE1	1:B:143:ILE:HA	2.08	0.53
1:A:259:CYS:HG	1:A:296:CYS:HG	0.58	0.53
1:A:206:LYS:HZ1	1:A:273:GLY:H	1.55	0.52
1:B:196:ILE:CD1	1:B:222:LEU:HD22	2.39	0.51
1:A:104:VAL:HG21	1:A:146:ASN:HB3	1.92	0.51
1:A:185:HIS:HA	1:A:340:ARG:OXT	2.10	0.51
1:A:250:LYS:HD3	1:A:255:TYR:CZ	2.46	0.50
1:B:15:TYR:CG	1:B:123:GLU:HG3	2.46	0.50
1:A:10:VAL:HB	1:A:176:ILE:HG23	1.93	0.50
1:B:11:ILE:HG23	1:B:172:LEU:CD1	2.42	0.50
1:A:285:VAL:HG22	1:A:298:LEU:HD23	1.94	0.49
1:A:258:LYS:HB2	1:A:261:GLU:HG2	1.93	0.49
1:A:257:VAL:HG11	1:A:265:LEU:HD11	1.95	0.49
1:A:45:TRP:CE3	1:A:111:VAL:HG21	2.48	0.49
1:A:132:PHE:H	1:A:135:GLN:HE21	1.59	0.49
1:A:45:TRP:CE2	1:A:127:VAL:HG13	2.48	0.48
1:B:182:ASP:OD1	1:B:184:GLN:HB2	2.14	0.48
1:A:28:THR:O	1:A:69:SER:HA	2.14	0.48
1:A:218:GLU:N	1:A:218:GLU:CD	2.71	0.47
1:A:56:THR:HG22	1:A:120:MET:SD	2.54	0.47
1:B:171:SER:N	7:B:460:HOH:O	2.48	0.47
1:B:27:GLY:HA2	1:B:95:ASP:CG	2.38	0.47
1:A:259:CYS:O	1:A:287:GLN:NE2	2.49	0.46
1:A:236:THR:O	1:A:240:GLU:HG3	2.16	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:217:CYS:SG	1:A:217:CYS:O	2.74	0.46
1:B:96:ILE:CG2	1:B:103:THR:HG23	2.46	0.46
1:B:117:LEU:HD23	1:B:118:PRO:HA	1.98	0.46
1:B:305:ILE:O	1:B:310:GLY:HA3	2.15	0.46
1:A:330:ARG:HG3	1:A:330:ARG:NH1	2.31	0.45
1:A:287:GLN:CG	1:A:290:TYR:CE1	2.95	0.45
1:A:218:GLU:CD	1:A:218:GLU:H	2.24	0.45
1:A:98:THR:HG22	1:A:103:THR:OG1	2.16	0.45
1:B:74:HIS:CD2	1:B:74:HIS:C	2.95	0.45
1:B:4:GLY:O	1:B:5:ASN:HB3	2.16	0.45
1:A:243:MET:HG3	1:A:255:TYR:CE1	2.52	0.45
1:B:159:SER:HB2	1:B:180:GLY:O	2.17	0.44
1:B:25:GLY:O	1:B:97:ILE:HA	2.18	0.44
1:A:259:CYS:HB3	1:A:289:SER:O	2.18	0.44
1:A:232:ILE:HG13	1:A:318:THR:HB	2.00	0.43
1:B:45:TRP:CE3	1:B:111:VAL:HG21	2.53	0.43
1:A:280:THR:O	1:A:283:ASP:HB2	2.18	0.43
1:B:303:MET:HE3	1:B:303:MET:HB2	1.64	0.43
1:B:259:CYS:CB	1:B:296:CYS:HG	2.26	0.43
1:A:106:GLN:OE1	1:A:143:ILE:HA	2.18	0.43
1:B:14:ASN:OD1	1:B:14:ASN:C	2.62	0.43
1:B:51:CYS:HB2	1:B:112:THR:HA	2.00	0.43
1:A:242:LEU:C	1:A:242:LEU:HD23	2.44	0.43
1:A:36:VAL:HG21	3:A:400:72X:H21A	2.00	0.42
1:A:107:MET:HE1	7:A:403:HOH:O	2.18	0.42
1:A:183:PRO:HA	1:A:186:TYR:CE1	2.54	0.42
1:A:107:MET:HB3	1:A:140:VAL:HG13	2.01	0.42
1:B:243:MET:SD	1:B:298:LEU:HD12	2.59	0.42
1:B:159:SER:OG	1:B:324:TYR:HE1	2.02	0.42
1:B:307:PRO:HA	1:B:308:PRO:C	2.45	0.42
1:A:259:CYS:CB	1:A:296:CYS:HG	2.25	0.42
1:A:251:ARG:NH1	1:A:254:ASP:OD1	2.52	0.42
1:B:155:GLU:O	1:B:179:GLY:HA2	2.19	0.41
1:B:8:SER:HB2	1:B:102:ILE:HG13	2.02	0.41
1:A:62:LYS:HG3	7:A:457:HOH:O	2.20	0.41
1:A:216:LEU:HD11	1:A:242:LEU:HB2	2.03	0.41
1:A:305:ILE:HA	1:A:306:PRO:HD3	1.82	0.41
1:A:200:VAL:HG22	1:A:202:GLN:HB2	2.02	0.41
1:A:221:CYS:HB2	7:A:382:HOH:O	2.20	0.41
1:B:243:MET:HG3	1:B:255:TYR:CE1	2.56	0.41
1:A:173:GLY:HA2	7:A:490:HOH:O	2.20	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:7:THR:HA	1:A:178:LEU:O	2.21	0.40
1:B:64:PHE:CE2	1:B:108:PHE:HZ	2.39	0.40
1:B:172:LEU:HD11	1:B:174:GLY:O	2.22	0.40
1:A:209:SER:O	1:A:268:ILE:HA	2.21	0.40
1:B:104:VAL:HG22	1:B:105:THR:N	2.37	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	335/337 (99%)	326 (97%)	7 (2%)	2 (1%)	21	17
1	B	328/337 (97%)	318 (97%)	9 (3%)	1 (0%)	36	35
All	All	663/674 (98%)	644 (97%)	16 (2%)	3 (0%)	24	21

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	170	GLN
1	A	171	SER
1	B	196	ILE

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	286/287 (100%)	281 (98%)	5 (2%)	53	60
1	B	281/287 (98%)	276 (98%)	5 (2%)	51	58
All	All	567/574 (99%)	557 (98%)	10 (2%)	51	58

All (10) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	62	LYS
1	A	127	VAL
1	A	218	GLU
1	A	251	ARG
1	A	276	GLU
1	B	71	SER
1	B	117	LEU
1	B	159	SER
1	B	288	GLU
1	B	303	MET

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (12) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	135	GLN
1	A	150	GLN
1	A	175	GLN
1	A	185	HIS
1	A	202	GLN
1	B	74	HIS
1	B	94	GLN
1	B	135	GLN
1	B	150	GLN
1	B	202	GLN
1	B	271	HIS
1	B	331	ASN

5.3.3 RNA

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

2 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	NAG	C	1	1,2	14,14,15	0.57	0	17,19,21	0.66	0
2	NAG	C	2	2	14,14,15	0.55	0	17,19,21	0.74	1 (5%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	C	1	1,2	-	2/6/23/26	0/1/1/1
2	NAG	C	2	2	-	2/6/23/26	0/1/1/1

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	2	NAG	C2-N2-C7	-2.25	119.89	122.90

There are no chirality outliers.

All (4) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	C	2	NAG	C8-C7-N2-C2
2	C	2	NAG	O7-C7-N2-C2

Continued on next page...


Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	C	1	NAG	C8-C7-N2-C2
2	C	1	NAG	O7-C7-N2-C2

There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.



5.6 Ligand geometry [i](#)

Of 9 ligands modelled in this entry, 1 is monoatomic - leaving 8 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and

the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	GOL	A	502	-	5,5,5	0.68	0	5,5,5	0.31	0
3	72X	B	400	-	35,37,37	3.50	16 (45%)	38,49,49	1.60	6 (15%)
3	72X	A	400	-	35,37,37	3.38	17 (48%)	38,49,49	1.61	6 (15%)
6	NAG	B	600	1	14,14,15	0.54	0	17,19,21	0.77	1 (5%)
4	GOL	A	500	-	5,5,5	0.51	0	5,5,5	0.39	0
4	GOL	B	504	-	5,5,5	0.58	0	5,5,5	0.35	0
4	GOL	A	503	-	5,5,5	0.62	0	5,5,5	0.36	0
4	GOL	A	501	-	5,5,5	0.63	0	5,5,5	0.34	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	GOL	A	502	-	-	0/4/4/4	-
3	72X	B	400	-	-	2/34/52/52	0/3/3/3
3	72X	A	400	-	-	2/34/52/52	0/3/3/3
6	NAG	B	600	1	-	4/6/23/26	0/1/1/1
4	GOL	A	500	-	-	0/4/4/4	-
4	GOL	B	504	-	-	0/4/4/4	-
4	GOL	A	503	-	-	0/4/4/4	-
4	GOL	A	501	-	-	0/4/4/4	-

All (33) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	400	72X	C5-C3	11.19	1.56	1.39
3	A	400	72X	C5-C3	10.53	1.55	1.39
3	A	400	72X	C49-C48	7.05	1.63	1.53
3	B	400	72X	C49-C48	6.91	1.62	1.53
3	A	400	72X	C49-N45	5.98	1.53	1.46
3	B	400	72X	C49-N45	5.85	1.53	1.46
3	B	400	72X	C8-C7	5.16	1.47	1.38
3	B	400	72X	C6-C8	5.06	1.47	1.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	400	72X	C8-C7	4.96	1.47	1.38
3	A	400	72X	C6-C4	4.67	1.46	1.38
3	B	400	72X	C6-C4	4.64	1.46	1.38
3	B	400	72X	C47-C48	4.51	1.63	1.53
3	A	400	72X	C47-C48	4.43	1.63	1.53
3	A	400	72X	C6-C8	4.42	1.46	1.38
3	A	400	72X	C1-C3	4.37	1.58	1.52
3	B	400	72X	C4-C3	4.32	1.46	1.39
3	B	400	72X	C15-C1	4.32	1.59	1.54
3	A	400	72X	C4-C3	4.16	1.46	1.39
3	B	400	72X	C1-C3	4.14	1.58	1.52
3	B	400	72X	C5-C7	3.95	1.44	1.38
3	A	400	72X	C5-C7	3.85	1.44	1.38
3	A	400	72X	C40-C36	3.40	1.62	1.52
3	A	400	72X	C15-C1	3.25	1.58	1.54
3	B	400	72X	C40-C36	3.02	1.61	1.52
3	B	400	72X	C43-N45	2.83	1.41	1.36
3	A	400	72X	C43-N45	2.49	1.40	1.36
3	A	400	72X	C46-C50	2.43	1.59	1.51
3	A	400	72X	C41-C39	2.42	1.60	1.51
3	B	400	72X	C41-C39	2.37	1.60	1.51
3	B	400	72X	C41-C40	2.29	1.58	1.53
3	B	400	72X	C46-C50	2.28	1.58	1.51
3	A	400	72X	C41-C40	2.10	1.58	1.53
3	A	400	72X	C7-CL1	-2.08	1.69	1.74

All (13) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	400	72X	C4-C3-C1	4.79	128.07	121.07
3	A	400	72X	C4-C3-C1	4.73	127.99	121.07
3	A	400	72X	C46-C50-N45	-4.41	101.73	110.67
3	B	400	72X	C46-C50-N45	-4.02	102.51	110.67
3	A	400	72X	C32-N42-C43	3.86	129.04	122.29
3	B	400	72X	C32-N42-C43	3.60	128.59	122.29
3	A	400	72X	C47-C46-C50	-2.60	107.33	110.75
6	B	600	NAG	C2-N2-C7	-2.39	119.70	122.90
3	B	400	72X	C47-C48-C49	-2.17	104.69	108.65
3	A	400	72X	C18-C15-C1	2.16	120.35	114.45
3	A	400	72X	C47-C48-C49	-2.16	104.72	108.65
3	B	400	72X	C47-C46-C50	-2.15	107.92	110.75
3	B	400	72X	C18-C15-C1	2.01	119.95	114.45

There are no chirality outliers.

All (8) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
6	B	600	NAG	C8-C7-N2-C2
6	B	600	NAG	O7-C7-N2-C2
6	B	600	NAG	C4-C5-C6-O6
6	B	600	NAG	O5-C5-C6-O6
3	A	400	72X	N42-C32-C33-N35
3	B	400	72X	N42-C32-C33-N35
3	B	400	72X	C34-C32-C33-N35
3	A	400	72X	C34-C32-C33-N35

There are no ring outliers.

1 monomer is involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	400	72X	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	337/337 (100%)	-0.14	5 (1%) 72 71	17, 30, 49, 66	0
1	B	332/337 (98%)	0.20	11 (3%) 49 48	21, 36, 61, 68	0
All	All	669/674 (99%)	0.03	16 (2%) 59 59	17, 33, 57, 68	0

All (16) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	59	VAL	3.7
1	B	7	THR	3.2
1	A	215	LEU	3.0
1	A	214	THR	2.5
1	B	253	PHE	2.5
1	A	213	SER	2.4
1	B	54	LEU	2.4
1	B	66	ALA	2.3
1	B	137	ILE	2.2
1	B	60	TYR	2.2
1	A	60	TYR	2.2
1	A	212	SER	2.2
1	B	111	VAL	2.1
1	B	79	LEU	2.1
1	B	198	THR	2.1
1	B	51	CYS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)


There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	NAG	C	2	14/15	0.72	0.12	63,66,68,68	0
2	NAG	C	1	14/15	0.84	0.09	45,48,56,59	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.



6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
6	NAG	B	600	14/15	0.64	0.13	77,80,82,82	0


Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
4	GOL	A	502	6/6	0.75	0.17	49,54,56,58	0
4	GOL	A	500	6/6	0.76	0.23	53,54,55,58	0
4	GOL	A	501	6/6	0.76	0.18	57,59,60,60	0
4	GOL	B	504	6/6	0.83	0.14	64,64,64,65	0
4	GOL	A	503	6/6	0.84	0.15	45,47,49,50	0
3	72X	B	400	35/35	0.93	0.09	28,32,35,38	0
3	72X	A	400	35/35	0.95	0.07	17,22,27,29	0
5	CL	A	700	1/1	0.97	0.11	51,51,51,51	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.





6.5 Other polymers [i](#)

There are no such residues in this entry.